Bourdon Tube Pressure Gauges Stainless Steel Series Type 131.11

WIKA Data Sheet 131.11

Applications

- Suitable for corrosive environments and gaseous or liquid media that will not obstruct the pressure system
- Ideal when a smaller size instrument is needed
- CDA (Clean Dry Air) applications

Special features

- All stainless steel construction
- 316L wetted parts
- Cost effective and reliable
- Positive pressure ranges to 15,000 PSI



Bourdon Tube Pressure Gauge Model 131.11

Description

Design

ASME B40.100 & EN 837-1

Sizes

1.5", 2" & 21/2" (40, 50 and 63 mm)

Accuracy class

± 2.5% of span

Ranges

1½" & 2": 0/15 to 0/7,500 PSI 2½": 0/15 to 0/15,000 PSI

or other equivalent units of pressure or vacuum

Working pressure

Steady: 3/4 of full scale value Fluctuating: 2/3 of full scale value Short time: full scale value

Operating temperature

Ambient: $-40^{\circ}\text{F to } +140^{\circ}\text{F } (-40^{\circ}\text{C to } +60^{\circ}\text{C})$ Medium: $+212^{\circ}\text{F } (+100^{\circ}\text{C})$ maximum

Temperature error

Additional error when temperature changes from reference temperature of 68°F (20°C) $\pm 0.4\%$ for every 18°F (10°C) rising or falling. Percentage of span.

Additional error when temperature changes from reference temperature of 68°F (20°C) $\pm 0.4\%$ for every 18°F (10°C) rising or falling. Percentage of span.

Pressure connection

Temperature error

Material: 316L stainless steel Lower mount (LM) or center back mount (CBM) 1/8" or 1/4" NPT (male)

Bourdon tube

Material: 316L stainless steel ≤1,000 PSI: C-type ≥1,500 PSI: helical type

Movement

Stainless steel

Dial

White aluminum with black lettering, with stop pin

Pointer

Black aluminum

Case

Stainless steel

Window


Snap-in polycarbonate

WIKA Data Sheet 131.11 · 03/2005

Page 1 of 2

Optional extras

- Friction fit cover ring with instrument glass window
- Special threaded connection
- U-clamp panel mount
- Front flange (for 2½" size only)



Size									
		Α	В	С	E	G	Т	W	Weight
1.5"	mm	40	37	25	9	50.5	-	14	
	in	1.54	1.46	0.98	0.35	1.99	1/8"	0.55	0.11 lbs.
2"	mm	50	47	27	9.6	53.5	-	14	
	in	1.93	1.85	1.06	0.38	2.11	1/4"	0.55	0.20 lbs.
2.5"	mm	63	54	28	10	53.5	-	14	
	in	2.44	2.13	1.10	0.39	2.11	1/4"	0.55	0.26 lbs.

Page 2 of 2

WIKA Datasheet 131.11 · 03/2005

Ordering information

Pressure gauge model / Nominal size / Scale range / Size of connection / Optional extras required Specifications and dimensions given in this leaflet represent the state of engineering at the time of printing. Modifications may take place and materials specified may be replaced by others without prior notice.

